

The Gold Of Oceans and Nature

Nordic Native Pristine (Global)

Nordic Native Pristine

Major emphasis



Innovation, purity, quality



Nordic Native Pristine

Major certifications-manufactured in Epax FDA certified facility





NNP-Epax Omega-3 fatty acids

The Oceans' Gold in Fresh Shape







Epax' history started with cod liver oil production in Ålesund, Norway in 1838, more than 180 years ago. Until 2018,ePax was part of FMC group (6 billion + in sales, NYSE listed biotech company). Now a part of the Pelagia group, Norway's largest fishery company, proud to continue building on Norwegian fish oil tradition with modern factories of state-ofthe-art purification and concentration technologies in Norway. The Epax ingredients comply with the strictest regulatory standards for manufacturing of dietary supplements and supply FDA compliant intermediates with Active Pharmaceutical Ingredients.

Our Credentials NNP-Epax



- Product Innovation
 - By utilizing partnership with leading expertise and leading biotech and pharmaceutical companies in the world.
- Highest Purity

By using suppliers that are able to deliver ultra-pure ingredients that are safe and reliable.

Highest Quality

By using highest qualified suppliers with certifications for Quality, Safety and Environmental responsibility.



Our Credentials NNP-Epax







The No.1 fish oil (Omega-3 fatty acids) company in the world





Epax



The No.1 fish oil (Omega-3 fatty acids) company in the world

- Over 180 years of history, pioneer in fish oil processing in Norway
- Most clinically researched/adapted Omega-3 fish oil in the world
- State of the art, most advanced facility and processing technology
- NO. 1 and unrivaled in purity , concentration in the Omega 3 industry worldwide
- All highest industry certifications, unrivaled in the industry
- Founding member of the Omega 3 organization in the world, defining standards of the industry worldwide





Our Credentials NNP-Epax



- Condition-specific formulas
- for a wide range of health applications
- Our portfolio of highly concentrated marine Omega-3 is uniquely formulated with varying concentrations and ratios of EPA and DHA fatty acids, which are designed to address specific health concerns.





- Cardiovascular Health
- von Schacky C, Angerer P, Kothny W. Et al. The effect of dietary omega-3 fatty acids on coronary atherosclerosis. A randomized, double-blind, placebo-controlled trial. Ann.Intern.Med. 1999;130:554-562
- von Schacky C, Baumann K, Angerer P. The effect of n-3 fatty acids on coronary atherosclerosis: results from SCIMO, an angiographic study, background and implications.LIPIDS 2001;36:S99-S102
- Lervang HH, Schmidt EB, Møller JM. Et al. The effect of low-dose supplementation with n-3 polyunsaturated fatty acids on some risk markers of coronary heart disease. Scand J Clin Lab Invest 1993;53:417-423
- Markmann P, Lerche C, Nørtoft LL. A critical view on using fish-oil in prevention of ischaemical heart disease. Ugeskr Laeger 1992;154:2288-2292
- Schmidt EB. n-3 fatty acids and the risk of coronary heart disease. Dan.Med.Bull
 1997;44:1-22
- Marckmann P, Bladbjerg EM, Jespersen J et al. Dietary fish oil (4 g daily) and cardiovascular risk markers in healthy men. Arterioscler.Thromb.Vasc.Biol. 1997;17:3384-3391

- Cazzola R, Russo-Volpe S, Miles EA, et al. Age- and dose-dependent effects of an eicosapentaenoic acid-rich oil on cardiovascular risk factors in healthy male subjects. Atherosclerosis 2007;193:159-167
- Einvik G, Klemsdal TO, Sandvik L et al. A randomized clinical trial on n-3 PUFA supplementation and all-cause mortality in elderly men at high cardiovascular risk. Eur J Cardiovasc Rehab 2010;17:588-592
- Hjerkinn EM, Abdelnoor M, Breivik L et al. Effect of diet or very long chain omega-3 fatty acids on progression of atherosclerosis, evaluated by carotid plaques, intimamedia thickness and by pulse wave propagation in elderly men with hypercholesterolaemia. European Journal of Cardiovascular Prevention and Rehabilitation 2006;13:325-333
- Dyerberg J, Eskesen DC, Andersen PW et al. Effects of trans- and n-3 unsaturated fatty acids on cardiovascular risk markers in healthy males. European.journal of clinical.nutrition 2004;58:1062-1070
- Dyerberg J, Christensen JH, Eskesen D et al. Trans, and n-3 polyunsaturated fatty acids and vascular function-A yin yang situation. Atherosclerosis.Supplements 2006;33-35
- Schmidt EB, Varming K, Pedersen JO et al. Long-term supplementation with n-3 fatty acids. Scan J Clin Lab Invest 1992;52:229-236



- Rees D, Miles EA, Banerjee T, et al. Dose-related effects of eicosapentaenoic acid on innate immune function in healthy humans: a comparison of young and older men. American.journal of clinical.nutrition 2006;83:331-342
- cell adhesion molecule-1. Clinical.science 2003;105:13-20
- Eid H, Arnesen H, Hjerkinn EM et al. Effect of diet and omega-3 fatty acid intervention on asymmetric dimethylarginine. Nutrition & Metabolism 2006;3:4
- Furenes EB, Seljeflot I, Solheim S et al. Long-term influence of diet and/or omega-3 fatty acids on matrix metalloproteinase-9 and PAPP-A in men at high risk of coronary heart disease. SCLI 2008;68:177-184
- Bonnema SJ, Jespersen LT, Marving J et al. Supplementation with olive oil rather than fish oil increases small arterial compliance in diabetic patients Diab Nutr & Metabol 1995;8:81-87
- Hjerkinn EM, Seljeflot I, Ellingsen I et al. Influence of long-term intervention with dietary counseling, long-chain n-3 fatty acid supplements, or both on circulating markers of endothelial activation in men with long-standing hyperlipidemia. American.journal of clinical.nutrition 2005;81:583-589
- Christensen JH, Therkelsen K, Møller JM et al. n-3 fatty acids do not decrease plasma endothelin levels in healthy individuals. Scan J Clin Invest 1997;57:495-500
- Fashing P, Ratheiser K, Waldhäusl W et al. Metabolic effects of fish-oil supplementation in patients with impaired glucose tolerance. Diabetes 1991;40:583-589
- Fashing P, Rohac M, Liener K et al. Fish oil supplementation versus gemfibrozil treatment in hyperlipidemic NIDDM. Horm Metab Res 1996;28:230-236
- Troseid M, Seljeflot I, Hjerkinn EM et al. II-18 is a strong predictor of cardiovascular events in elderly men with the metabolic syndrome. Diab Care 2008;32:486-492
- Kamolrat T, Gray SR, and Thivierge MC. Fish oil positively regulates anabolic signalling alongside an increase in whole-body gluconeogenesis in ageing skeletal muscle. Eur J Nutr 2013;52(2):647-657
- Flachs P, Rossmeisl M, and Kopecky J. The effect of n-3 fatty acids on glucose homeostasis and insulin sensitivity. Physiol Res 2014;63(1): 93-118



- Kopecky J, et al. Combined intervention with Pioglitazone and n-3 fatty acids in metformin-treated diabetic patients on postprandial lipid clearance and selected cytokines. Nutrition & Metabolism NUAM-D-15-00080R1
- Razny, U., Kiec-Wilk, B., Polus, A., Goralska, J., Malczewska-Malec, M., Wnek, D., Zdzienicka, A., Gruca, A., Childs, C.E., Kapusta, M., Slowinska-Solnica, K., Calder, P.C., and Dembinska-Kiec, A. (2015) Effect of caloric restriction with or without n-3 polyunsaturated fatty acids on insulin sensitivity in obese subjects: A randomized placebo controlled trial, BBA clinical 4, 7-13.
- Bas JM, Caimari A, Rodriguez-Naranjo MI, Childs CE, Chavez CP, West AL, Miles EA, Arola L, Calder PC. Impairment of lysophospholipid metabolism in obesity: altered plasma profile and desensitization to the modulatory properties of n–3 polyunsaturated fatty acids in a randomized controlled trial. Am J Clin Nutr 2016;104:266-279
- Razny Urszula, Beata Kiec-Wilk, Anna Polus, Joanna Goralska, Malgorzata Malczewska-Malec, Dominika Wnek, Anna Zdzienicka et al. 2015. Effect of caloric restriction with or without n-3 polyunsaturated fatty acids on insulin sensitivity in obese subjects: a randomized placebo controlled trial. BBA Clinical 2015;4:7–13
- Clark,L.F., Thivierge,M.C., Kidd,C.A., McGeoch,S.C., Abraham,P., Pearson,D.W.M., Horgan,G.W., Holtrop,G., Thies,F., and Lobley,G.E. (2016) Fish oil supplemented for 9 months does not improve glycaemic control or insulin sensitivity in subjects with impaired glucose regulation: a parallel randomised controlled trial, The British journal of nutrition 115, 75-86
- Polus A, Zapala B, Razny U, Gielicz A, Kiec-Wilk B, Malczewska-Malec M, Sanak M, Childs CE, Calder PC, Dembinska-Kiec A. Omega-3 fatty acid supplementation influences the whole blood transcriptome in women with obesity, associated with pro-resolving lipid mediator production. Biochim Biophys Acta. 2016;1861(11):1746-1755
- Rohith N. Thota, Shamasunder H. Acharya and Manohar L. Garg. Curcumin and/or omega-3 polyunsaturated fatty acids supplementation reduces insulin resistance and blood lipids in individuals with high risk of type





- effects of dietary saturated fatty acids and fish oil on plasma lipids and lipoproteins in men. Am J Clin Nutr 1993;57:634-639
- Schmidt EB, Ernst E, Varming K et al. The effect of n-3 fatty acids on lipids and haemostasis in patients with Type IIa and Type IV hyperlipidemia. Thromb Haemostas 1989;62:797-801
- Schmidt EB, Sørensen PJ, Pedersen JO et al. The effect of n-3 polyunsaturated fatty acids on lipids, haemostasis, neutrophil and monocyte chemotaxis in insulin-dependant diabetes mellitus. J Intern Med 1989;225 (suppl):201-206
- Schmidt EB, Varming K, Ernst E et al. Dose-response studies on the effect of n-3 polyunsaturated fatty acids on lipids and haemostasis. Tromb Haemostas 1990;63:1-5
- Schmidt EB, Pedersen JO, Varming K et al. N-3 fatty acids and leucocyte chemotaxis. Effects in hyperlipidaemia and dose-response studies in healthy men. Arterosclerosis and Thrombosis 1991;11:429-435
- Schmidt EB, Klausen IC, Kristensen SD et al. The effect of n-3 polyunsaturated fatty acids on Lp(a). Clin Chim Acta 1991;198:271-278
- Schmidt EB, Varming K, Svaneborg N et al. N-3 polyunsaturated fatty acid supplementation in men with moderate and severe hypertriglyceridemia: a dose-response study. Ann Nutr Metab 1992;36:283-287
- Schmidt EB, Lervang HH, Varming K et al. Long-term supplementation with n-3 fatty acids: effects on blood lipids, haemostasis and blood pressure. Scand J Clin Lab Invest 1992;52:221-228
- Svaneborg N, Møller JM, Schmidt EB et al. The acute effects of a single very high dose of n-3 fatty acids on plasma lipids and lipoproteins in healthy subjects. Lipids 1994;29:145-147
- Stark KD, Park EJ, Maines VA et al. Effect of a fish-oil concentrate on serum lipids in postmenopausal women receiving and not receiving hormone replacement therapy. Am J Clin Nutr 2000;72:389-394
- Seljeflot I, Johansen O, Arnesen H et al. Procoagulant activity and cytokine expression in whole blood cultures from patients with atherosclerosis supplemented with omega-3 fatty acids. Thromb.Haemost. 1999;81:566-570



- Lindman AS, Pedersen JI, Hjerkinn EM et al. The effects of long-term diet and omega-3 fatty acid supplementation on coagulation factor VII and serum phospholipids with special emphasis on the R353Q polymorphism of the FVII gene. Thrombosis.and haemostasis 2004;6:1097-1104
- Barstad RM, Roald HE, Petersen LB et al. Dietary supplementation of omega-3 fatty acids has no effect on acute collagen induced thrombus formation in flowing native blood. Blood Coagul Fibrinolysis. 1995;6:374-381
- Flaten H, Høstmark AT, Kierulf P et al. Fish-oil concentrate: effects on variables related to cardiovascular disease. Am J Clin Nutr 1990;52:300-306
- Freese R, Mutanen M. Alpha-linolenic acid and marine long-chain n-3 fatty acids only slightly differ in their effects on haemostatic factors in healthy subjects. Am J Clin Nutr 1997;66:591-598
- Freese R, Mutanen M. Small effects of linseed oil or fish oil supplementation on postprandial changes in hemostatic factors. Thromb Res 1997;85(2):147152
- Freese R. Dietary fatty acids and hemostasis. Effects of n-3 and n-6 fatty acids on platelet function and coagulation in healthy subjects. 1997;Uni Helsinki 75
- Müllertz A, Hølmer G, Grøndahl-Hansen J et al. Increased concentration of plasminogen activator inhibitor type-1 in plasma after intake of fish oil. Fibrinolysis 1990;4(suppl 2):86-88
- Christensen JH, Gustenhoff P, Korup E et al. n-3 polyunsaturated fatty acids, heart rate variability and ventricular



- arrhythmias in post-AMI-patients. A clinical controlled trial. Ugeskr.Laeger 1997;159:5526-5529
- Christensen JH, Gustenhoff P, Korup E et al. Effect of fish oil on heart rate variability in survivors of myocardial infarction: a double blind randomised controlled trial. BMJ 1996;312:677-678
- Christensen JH, Gustenhoff P, Ejlersen E et al. n-3 fatty acids and ventricular extrasystoles in patients with ventricular tachyarrhythmias. Nutrition Res 1995;15:1-8
- Christensen JH, Gustenhoff P, Korup E et al. n-3 fatty acids and ventricular arrhythmias in post-myocardial infarction patients with a low ejection fraction 1995;10:107-114
- Christensen JH, Christensen MS, Dyerberg J et al. Heart rate variability and fatty acid content of blood cell membranes: a dose-response study with n-3 fatty acids. Am J Clin Nutr 1999;70:331-337
- Christensen JH, Aarøe J, Knudsen N et al. Heart rate variability and n-3 fatty acids in patients with chronic renal failure. Clin Neprol 1998;49:102-106
- Kumar S, Sutherland F, Wheeler M, Heck PM, Lee G, Teh AW, Manohar LG, Morgan JG, Sparks PB. Effects of chronic omega-3 polyunsaturated fatty acid supplementation on human atrial mechanical function after reversion of atrial arrhythmias to sinus rhythm: Reversal of tachycardia-mediated atrial cardiomyopathy with fish oils. Heart Rhythm 2011;8:643-649
- Seljeflot I, Arnesen H, Brude IR et al. Effects of omega-3 fatty acids and/or antioxidants on endothelial cell markers. Eur.J.Clin.Invest. 1998;28:629-635
- Berstad P, Seljeflot I, Veierod MB et al. Supplementation with fish oil affects the association between very long-chain n-3 polyunsaturated fatty acids in serum non-esterified fatty acids and soluble vascular



- Wu S-Y, Mayneris-Perxachs J, Lovegrove JA, Todd S, and Yaqoob P. Fish-oil supplementation alters numbers of circulating endothelial progenitor cells and microparticles independent of eNOS genotype. AJCN 2014 doi: 10.3945/ajcn.114.088880.
- Minihane AM, Khan S, Leigh-Firbank EC et al. ApoE polymorphism and fish oil supplementation in subjects with an atherogenic lipoprotein phenotype. Atheriosclerosis, thrombosis, and vascular biology 2000;20:1990-1997
- Nordøy A, Hatcher LF, Ullman DL et al. Individual

NNP-Epax Omega-3 DHA for seniors



- Norskforte Senior Plus Omega 3 DHA
- TG/N Form of Fish Oil, much superior than the inexpensive EE synthetic Fish Oil generally available in the market.
- Epax's world leading proprietary extraction and processing method
- FDA approved Epax's manufacturing facility of pharmaceutical API (Active Pharmaceutical Ingredients)





NNP-Epax Omega-3 DHA for Kids

- Norskforte Kids Plus Omega 3 DHA
- TG/N Form of Fish Oil, much superior than the inexpensive EE synthetic Fish Oil generally available in the market.
- Epax's world leading proprietary extraction and processing method
- FDA approved Epax's manufacturing facility of pharmaceutical API (Active Pharmaceutical Ingredients)







NNP-Epax Omega-3 90% concentrate



- Pristine Pure Omega 3
- TGN form, purest with the highest percentage of Omega 3 concentration in the industry. TGN Form of Fish Oil, much superior than the inexpensive EE synthetic Fish Oil generally available in the market.
- Epax's world leading proprietary extraction and processing method
- FDA approved Epax's manufacturing facility of pharmaceutical API (Active Pharmaceutical Ingredients)



NNP Wild Bilberry Vitamin

Treasure from the Nordic wilderness



Mega Blueberry Vitamin

- Nordic wild bilberry(Blueberry) naturally contains the highest concentration of the antioxidant – anthocyanin.Researches have generally discovered that wild bilberry contains 15 times more anthocyanin than farmed blueberry in concentration.
- The pictures on the right exhibit the different growth conditions of the Wild bilberry in Sweden(top) VS. the farmed blueberry in North America(bottom).

Wild bilberry grows as basically single strand fruit vs. the bunched harvest of the farmed blueberry.





NNP Wild Bilberry Vitamin

Treasure from the Nordic wilderness





NNP Wild Bilberry Vitamin Treasure from the Nordic wilderness The Gold of Nature



Blueberry Eye Vitamin

Based on Blueberries with high level of natural Lutein and Zeaxanthin that are antioxidative carotenoids (xanthophylls), which build the macular pigment of the retina.

Lutein and Zeaxanthin cannot be produced by the body itself, thus an intake of these carotenoids through food is necessary.

Includes also vitamins and minerals combined that contribute to the maintenance of normal eye vision.



NNP Wild Bilberry Vitamin

Treasure from the Nordic wilderness



- 15 times more concentrated anthocyanin from wild Nordic bilberry
- 25 mg of natural Lutein
- 1.5 mg of natural Zeaxanthin
- With special proprietary formulation from the knowledge and clinical researches of the Scientists of FMC group
- With the highest industry certifications of FDA and C-GMP



NNP–Epax Omega-3 fatty acids

Epax fish oil clinicals and researches by the world's elitest scientists and researchers and clinicians



- Epax high concentration Omega 3 fish oil's effect on maintaining telomeres length, anti-aging conclusion. (clinical conducted by Elizabeth Blackburn, Nobel prize winner of medicine, picture on the right)
- Epax high concentration DHA fish oil clinical conducted by Dr. Yvonne Freudlevi of the Karolinska Institut of Sweden(Host of the Nobel prize of Medicine),on the effect of DHA fish oil in preventing and curing Alzeima disease,a breakthrough discovery
- Hundreds of clinical researches and studies based on Epax fish oil worldwide over the last 30+ years





NNP prodcuts

Manufactured by a special company-Epax





















NNP-Epax Omega-3 fatty acids The Brain and Heart Capsule



To utilize the EFSA* health claims of Omega-3, a daily dosage of 250 mg DHA and 250 mg EPA is required.

≻250 mg DHA contributes to the maintenance of normal brain function and to the maintenance of normal eye vision

>250 mg EPA + DHA combined contribute to maintain the normal functioning of the heart



NNP Wild Bilberry Vitamin Treasure from the Nordic wilderness



European Health Claim:

Antioxidants are well known to promote your Eye Health ! ≻Lutein

➤Zeaxanthin















- Professional outlets
- DR's clinics
- Pharmacies
- Chinese Medicine clinics
- Natural health product outlets































































Other channels and product exposure









Cleanest, purest, highest certifications

Cleanest, purest, highest certifications

NORDIC NATIVE PHARMA-ePAX

品牌故事

--- 全球魚油行業第1品牌 專注魚油180年---

諾貝爾醫學獎獲得者 Elizabeth Blackburn 臨床使用魚油

1838年, ePAX品牌在挪威面世,至今已有超過180年魚油制做歷史 是全球第一家生產純天然EPA / DHA濃縮物公司

ePAX已經是多個行業第一,世界最領先提取技術,比行業內其他任何標準更高,達到最高純度, 濃度。全球唯一提出多種科學配方的魚油,極致安全擁有業界所有最高認證。世界最尖端科研技術 基地的強大背景支持。衹選用世界最好品質的原料。卡羅林斯卡等世界一流最嚴謹科學醫療機構臨床 研究數據積累支持,C-GMP和及FDA認證的最高要求生產基地。

匠心180年 全球權威認證

擁有所有行業最高認證,全球臨床研究和諾貝爾獎得主臨床研究魚油

Thanks for your time!

Contact us:

At info@nnpglobal.com